



## 1500rpm SDEC Genset 220 kva Diesel Generator Soundproof Engine With 6 Cylinder In Line

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-SC220
- Minimum Order Quantity: 1\*20GP
- Price: face to face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



### Product Specification

- Engine Model: 6DTAA8.9-G21
- Frequency: 50Hz
- Engine Brand: SDEC
- No. Of Cylinder: 6 Cylinder In Line
- Rated Speed: 1500rpm
- Voltage: 400V/230V
- Warranty: 12 Months
- Controller: Smartgen
- Prime Power: 160kW/200kVA
- Standby Power: 176kW/220kVA
- Name: SDEC Diesel Generator
- Highlight: 1500rpm SDEC Genset, SDEC Genset 220 Kva, 220 kva Diesel Generator Soundproof

for more products please visit us on [dellentpower.com](http://dellentpower.com)

## Product Description

# 220kva Standby Power SDEC Genset Soundproof Engine By 6 Cylinder In Line

## .PRODUCT DESCRIPTION

### 220kva Standby Power SDEC Genset Soundproof Engine By 6 Cylinder In Line

Dellent Power supply the standby power 220kVA water cooled diesel generator with SDEC brand diesel engine model 6DTAA8.9-G21. The water cooled diesel generator with rated output 200kVA / 160kW, standby power 220kVA / 176kW.



- 1.Manufactured strictly according to ISO9001 international quality management system.
- 2.Set mounted automatic control panel, with Smartgen or Deepsea controller brand for automatic start & stop.
- 3.Big enough free maintenance battery, world famous brand.

### 220kVA Diesel Generator Powered by SDEC Diesel Engine:

Model		DE-SC220
Standby Power	kVA	220
	kW	176
Prime Power	kVA	200
	kW	160
Frequency	Hz	50
Output Voltage	V	400/230
Oil Consumption	L/H	0.054

### SDEC Diesel Engine:

Engine Manufacturer		Shanghai Diesel Engine Co., Ltd.
Engine Brand		Shangchai
Engine Type		6DTAA8.9-G21
No.of Cylinder		6 Cylinder in line
Bore	mm	135
Stroke	mm	150
Displacement	L	12.88
Aspiration		Turbocharged
Rate Speed	R.P.M.	1500
Governor		Electric
Lubrication Oil Capacity	L	33
Starting Voltage	V	24
Engine Max.Output Power	kW	206

### Specification of Control Panel:

Control Panel Specification	
Controller Brand	Smartgen

Breaker Brand	Delixi	
Breaker Capacity	A	125
Battery Charger	Smartgen Model BAC06A	
Emergency Stop Button	Supply	
Automatic Mains Fail (AMF)	Supply	
Fuel Level	Supply	
Automatic Transfer Switch	ATS as optional part	
Mains Monitor	Supply with DELLENT Function	
The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).		
Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.		

### . Why Choose Us:

# Dedicated

We are DEDICATED to meet Customers' need.

# Enthusiasm

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

# Efficient

We offer our EFFICIENT service

# Newest

We adopt NEWEST technologies for products

# Trust

We strive for winning the TRUST from Customers

### . QUALIFICATION CERTIFICATE:



### . FACTORY INTERIOR:



1. When using diesel generators, appropriate loads should be used according to requirements to avoid overload or underload leading to faults;
- 2: When diesel generators are not used for a long time, regular maintenance and inspection should be carried out to ensure their normal operation;
- 3: Diesel generators should use dry air to avoid malfunctions caused by high humidity;



**Fuan Dellent Electric & Machinery Co., Ltd.**



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN  
CITY,NINGDE CITY,FUJIAN.CHINA